



EYE SHADOW WITH MATTEBLACK 523

<u>Product Name</u>	<u>INCI Name</u>	<u>%WW</u>	<u>Supplier</u>
Phase A			
Talc Micro-Ace P-2-030	Talc (& Methicone	6.00	Presperse LLC
Sericite PHN	Sericite	9.25	Presperse LLC
Matteblack 523	Polypropylene (& Black 2	25.00	Micro Powders, Inc.
Potassium Sorbate	Potassium Sorbate	0.20	Lotioncrafter
Tetrasodium EDTA	Tetrasodium EDTA	0.05	Lotioncrafter
Microsilk 419	Polyethylene (& PTFE	10.50	Micro Powders, Inc.
Phase B			
Bismica Black	Bismuth Oxychloride (&) Mica (&) Iron Oxide	5.00	Presperse LLC
Ecosoft™ 608 XF	Polylactic Acid	3.00	Micro Powders, Inc.
Sericite SL-012	Mica (&) Methicone	5.00	Presperse LLC
Phase C			
Timica® Extra Bright 1500	Mica (&) Titanium Dioxide	25.00	BASF
Flamenco Ultra sparkle 4500	Mica (&) Titanium Dioxide	5.00	BASF
Phase D			
Ceraphyl 375	Isostearyl Neopentanoate	1.95	ISP
Dermol 20-SS	Octyldodecyl Stearoyl Stearate	3.65	ALZO
Arlacel 83V	Sorbitan Sesquioleate	0.11	Croda Inc.
Barguard CP	Caprylyl Glycol, Phenoxyethanol, Hexylene Glycol	0.79	Paradigm Research Sci.

Procedure

1. Combine Ingredients of Phase A (in the order listed) and pass through the micropulverizer twice.
2. Add Phase B materials to Phase A. Blend well until evenly dispersed.
3. Add Phase C materials to Phase A-B and blend well until evenly dispersed.
4. Pre-mix Phase D materials separately.
5. Add Phase D materials to Phase A-B-C and blend well until evenly dispersed.