



MICRO POWDERS, INC.

Specialty Micronized Wax Additives

SOFT VELVET TEXTURE EYE SHADOW WITH MICROSORB 988S (Cream-to-Powder Aesthetics with Excellent Color Payoff)			
INGREDIENT	INCI NAME	% W/W	SUPPLIER
Phase A			
M-102	Synthetic Mica	10.50	Miyoshi America, Inc.
Creamy Talc	Talc, Dimethicone	12.00	Trend Cosmetics Inc.
Micropoly® 220L	Polyethylene	3.50	Micro Powders, Inc.
Microslip® 519	PTFE	3.50	Micro Powders, Inc.
Micropoly 1160S	Spherical Polyethylene	10.00	Micro Powders, Inc.
Phase B			
Impact Silver	Mica, TiO2	15.00	Sandream/Impact
Chestnut Brown	Mica, TiO2, Iron Oxides	15.00	Sandream/Impact
Eldorado Bronze	Mica, Iron Oxides	20.00	Sandream/Impact
Phase C			
Xiameter PMX-200 Silicone Fluid 50CS	Dimethicone	4.80	Dow Corning
Abil WE 09	Polyglyceryl-4isostearate Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurat	1.00	Evonik Industries
Vitamin E Acetate	Tocopherol Acetate	0.20	BASF
Protachem OP	Octyl Palmitate	3.50	Protameen Chem Inc.
BarGuard	Caprylyl Glycol, Phenoxy ethanol, Sorbic Acid	1.00	Ashland Inc.
Phase D			
Microsorb 988S Microcapsules	Synthetic wax, Ca Silicate, Silica & Dimethicone 50Cst	10.00	Micro Powders, Inc. & Dow Corning
	Total	100%	
Procedure			
<ol style="list-style-type: none">1. Combine Phase A ingredients and blend.2. Add Phase B ingredients in sequence and mill the entire batch to uniformity.3. Pre-mix Phase C, spray into the batch and mix until uniform.4. Mill the batch until there is no evidence of undispersed oil.5. Take 90 gr of the uniform batch and add 10 gr PART D. Gently blend Part D (PrePared Microcapsules) with minimum tumble blend mixing.6. Press at 500 Psi without pan & insert pressed cake in an appropriate package and gently press manually again with die head & with ribbon on top.			
Micro Powders, Inc. 580 White Plains Road, Tarrytown, NY 10591 Tel: (914) 793-4058 Fax: (914) 472-7098 www.mpipersonalcare.com			